

Other Software



eCopy PDF Pro Office

eCopy PDF Pro Office instantly creates 100% industry-standard, universally viewable PDF files, and converts static PDF documents into editable files. eCopy PDF Pro Office enables the flexibility of a universal document format for higher productivity and seamless information exchange.



Kofax VirtualRescan Basic


The leading image processing software, Kofax VRS Basic, improves readability for multi-size documents of varying degrees of quality. Automatically straighten skewed pages without character degradation, optimize a document's brightness and contrast levels, and eliminate background noise and speckling.

DR-M1060 Specifications

Type	Desktop sheetfed scanner	
Document size	Plain paper	Width: 50.8 mm to 300 mm (2" to 11.8") Length: 70 mm to 432 mm (2.8" to 17") (You can scan documents up to 3,000 mm (118.1") long by setting the scanner to the Long Document mode.)
	Business card	Width: 50.8 mm to 55 mm (2" to 2.2") Length: 85 mm to 91 mm (3.4" to 3.6")
	Card	54 mm x 86 mm (2.2" x 3.4") (ISO standard)
Document thickness and weight	Plain paper	U-turn path (page separation): 27 to 128 g/m ² (0.04 mm to 0.15 mm) U-turn path (non separation): 27 to 164 g/m ² (0.04 mm to 0.2 mm) Straight path: 27 to 255 g/m ² (0.04 mm to 0.3 mm)
	Business card	128 to 380 g/m ² (0.15 mm to 0.45 mm) (Use the straight path and place vertically.)
	Card	0.76 mm (0.03") or less, 1.4 mm (0.055") or less for the embossment (Use the straight path and place vertically.)
Scanning sensor	Contact image sensor	
Light source	LED	
Scanning side	Simplex/Duplex	
Scanning modes	Black and White, Error Diffusion, 256-level Grayscale, Advanced Text Enhancement, Advanced Text Enhancement II, 24-bit Color	
Scanning resolution ¹⁾	100 x 100dpi/150 x 150dpi/200 x 200dpi/240 x 240dpi/300 x 300dpi/400 x 400dpi/600 x 600dpi	
Scanning speed ²⁾	Grayscale	200dpi: 60 ppm (Simplex), 120 ipm (Duplex) 300dpi: 60 ppm (Simplex), 120 ipm (Duplex)
	Color	200dpi: 60 ppm (Simplex), 120 ipm (Duplex) 300dpi: 40 ppm (Simplex), 80 ipm (Duplex)
ADF capacity (80 g/m ² paper)	A4: 60 sheets A3: 25 sheets	
Interface	Hi-Speed USB 2.0	
Other functions	Prescan, Staple detection, Addon, Double feed detection ignore	
Dimensions (W x D x H)	When trays are closed	424 mm (16.7") x 246 mm (9.7") x 120 mm (4.7")
	When trays are opened	424 mm (16.7") x 440 mm (17.3") x 210 mm (8.3")
Weight (without AC adapter)	Approximately 6.1 kg (13.5 lb)	
Power supply (using AC adapter)	DC24V 1.3A	
Power consumption	Scanning: 32.5 W or less	
	In the sleep mode: 2.5 W or less	
	With power switch OFF: 0.5 W or less	
Noise	Not more than 56 dB	
Operating environment	Temperature	10°C to 32.5°C (50°F to 90.5°F)
	Humidity	20% to 80% RH
Consumables	Exchange Roller Kit	

1) Primary scan lines x secondary scan lines
2) Conditions: Core i7 2.8 GHz CPU, 4 GB memory, A4 horizontal document size
Specifications are subject to change without notice.

Canon and the Canon logo are registered trademarks of Canon Inc. in the United States and may also be trademarks or registered trademarks in other countries.
imageFORMULA is a trademark of CANON ELECTRONICS INC.
Microsoft, Windows and SharePoint are registered trademarks or trademarks of Microsoft Corporation in the United States and other countries.
ISIS is a registered trademark of EMC Corporation in the United States.
eCopy PDF Pro is a trademark or registered trademark of Nuance Communications, Inc. and its affiliates in the United States and/or other countries.
Adobe, the Adobe logo, Acrobat, the Adobe PDF logo, and Adobe Reader are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.
Kofax, the Kofax logo, and other Kofax marks are registered trademarks or trademarks of Kofax, Inc. in the United States and other countries, and used under authority from Kofax.
Other product and company names herein may be the trademarks of their respective owners. However, the ™ and © symbols are not used in this document.



Canon

Canon India Private Limited
7th Floor, Tower B, Building #5
DLF Cyber Terraces, DLF Phase III
Gurgaon - 122002 Haryana, India
Tel: 91-124-416 0000
Fax: 91-124-416 0011
www.canon.co.in

DEALER'S STAMP

Printed in INDIA

Canon

**imageFORMULA
DR-M1060**



Color 60 ppm

The smallest A3-capable scanner

Comfortable

U-turn path

**High-speed compact scanner with
A3 scanning support**



Fast A4 scanning and versatile A3 scanning capabilities when necessary.
Speed and feed performance for reliable scanning in diverse applications.

Versatile functionality for your diverse scanning needs. An A3-compatible scanner for efficient, streamlined business operations.

The Canon image FORMULA DR-M1060 departmental scanner is a compact scanner equipped with a U-turn path, and is the smallest scanner in its class. It is capable of scanning A3 documents despite its desktop-scanner size, making it a cost-effective answer to your diverse scanning needs.

DR-M1060



Comfortable and versatile

Despite its compact desktop-scanner size, the DR-M1060 is capable of scanning A3 documents. Its unique U-turn path design allows documents to be fed and ejected from the front of the scanner for convenient and efficient front-side only scanning operations.

The U-turn path can be switched to a straight path for plastic cards, thick paper, and other types of documents that cannot be bent, expanding the variety of media that can be scanned.


High performance for high productivity

The DR-M1060 scanner offers a collection of invaluable image capturing and processing functions for various document types that optimize readability and minimize reprocessing.


The scanner is also equipped with advanced error detection functions that not only allow smooth recovery from errors, but also prevent damage to documents by quickly detecting abnormal document movement.

All these features are designed to optimize workflows and improve productivity, delivering a reliable, efficient, and streamlined solution to all your document digitization needs.

Selectable U-turn and straight path options



Innovative space-saving design




Rapid scanning

	Simplex (ppm)		Duplex (ipm)	
	B&W	Color	B&W	Color
A4 (landscape)	60	60	120	120
A4 (portrait)	40	40	80	80
A3	30	30	60	60


(At 200dpi)

Reliable feeding performance

The DR-M1060 is the first in the DR-series to be equipped with paper speed and skew sensors adjacent to the rollers. These sensors monitor the paper speed and skew angle as the document moves during scanning, enabling the unit to stop the document feeder immediately a problem is detected and to prevent damage to the document.



Support for a wide variety of media formats



User-friendly operating panel

The operating panel for basic operations, such as starting and stopping scans, is located on the front right of the scanner. The panel includes a DFR button to allow smooth recovery from feed stops that occur due to double feed. Up to nine jobs can be registered by connecting to the bundled CaptureOnTouch software.



High-quality image processing

Batch separation using blank sheets


Insert a blank sheet that will be recognized as a batch separator to automatically separate files.




Folio



Skip blank page



Deskew



Text orientation detection




Text enhancement




MultiStream™



Color dropout/enhancement



Automatic page size detection



Prevent bleed through/remove background



Character emphasis



Bundled software

CapturePerfect

CapturePerfect is Canon's own scanning application designed to make scanning more efficient. The application is equipped with a user-friendly interface, support for a wide range of file formats, and a variety of functions for effectively using scanned data, such as creation of searchable and secure PDFs and Scan to Mail.



CaptureOnTouch

CaptureOnTouch, the dedicated software supplied with DR-series scanners, is a convenient tool that allows you to choose the most appropriate scanning method for your needs. Up to nine routine scan tasks can be registered as jobs, which can be accessed directly from the scanner's operating panel.



Options

Barcode module / 2D code module

These software modules allow barcode or 2D code recognition using the scanner driver. The 2D code module supports a variety of 2D code types including QR code.

Flatbed unit

A flatbed scanner unit can be connected to and used with the DR-M1060 scanner. The flatbed unit allows you to scan bound documents such as passports that are not supported on standard automatic document feeders, expanding possible applications.